Specifications

Eaton NX16

Catalog Number: NX16

Eaton VoCALL 16 Emergency voice communication system, Digital, VoCALL, Network Panel, 16 lines, Wall Mounted, Grey / Metal

General specifications

Product Name Eaton VoCALL 16 digital network panel emergency voice system	Catalog Number NX16
	Model Code VOCALL 16 NETWORK PANEL
EAN 5018987306393	Product Length/Depth 145 mm
Product Height 355 mm	Product Width 355 mm
Product Weight 5.5 kg	Compliances EN

Product specifications

Number of outputs for acoustic signal generators

3

Operating voltage

240 V

Electricity consumption

0.108 mA

Number of batteries

2

Battery voltage

12 V

Battery capacity

7 Ah

Construction material back enclosure

Mild steel

Construction material front enclosure

Mild steel

Humidity (Non Condensing) (0-XX%) - Max

95 %

Humidity (Non Condensing) (0-XX%) - Min

0 %

Ingress protection

IP20

Main input supply

230 Vac, 50 Hz

Operating temperature - max

40 °C

Operating temperature - min

-5 °C

Auxiliary relays

Not applicable

Maximum network size (number of nodes)

512

EN Certification Standards

EN54 Pt4 (Power Supply Equipment)

Type of display

Resources

Technical data sheets

Eaton fire EVCS voCALL 16 network datasheet

LCD

Low voltage directive

EN 62368-1:2014

British standard compliance

BS5839-9

Product branding

Eaton

Color

Grey

Communications type

Digital

Stainless steel variant

No

Number of status LEDs

42

External interface

Relays

Type of circuit

Loop

Networkable

Yes

Fitted with:

Power Adaptor

Integrated function

Interface External

Addressable

Emergency Power Supply Integrated

Suitable for

Bus Connection

Mounting Method

Surface mounting

Cable entry location

Top

Rear

UL certification standards

Not Applicable

Number of circuits

1

Number Of Outstations (Standalone)

512

Number Of Outstations (Networked)

512

External connection ports

RJ45

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia