

God kvalitet til en god pris, hver dag



Lavet til installatører og slutbrugere

VELKOMMEN TIL ADI DANMARK



Menneskene bag sikkerhed

ADI Global er globalt den største distributør af produkter inden for sikkerhed, brandbeskyttelse og Pro-A/V. Leverer det bredeste produkt-sortiment og brancheførende distribution til vores kunder. Vi tilbyder også omfattende projektsupport for at hjælpe vores kunder med at levere de største projekter til tiden og inden for budgettet. Så uanset hvad du har brug for, for at tilfredsstille dine kunders krav, har vi en løsning. ADI tilbyder tusindvis af varer på lager hver dag til levering eller afhentning via vores e-shop, fra lager eller i butikken.

Vi tror på, at det er vores medarbejdere, der gør forskellen. Vores medarbejdere lever og ånder for vores værdier og bruger deres passion og specialviden så de kan levere de bedste sikkerhedsløsninger. Vi er virkelig en virksomhed drevet af mennesker.

ADI Global Distribution er stolte af at kunne præsentere W Box Technologies og UltraTech


W Box og Ultratech tilbyder et bredt udvalg af overvågningsmonitører, semi-kommercielle skærme og AV-tilbehør sammen med brandbeskyttelsesprodukter og indbruds- og adgangskontrolløsninger, inklusive batterier og strømforsyninger.

Alle produkter giver den bedste kvalitet og ydeevne for integratorer og installatører til en overkommelig projektpriis. Hvert W Box-produkt leveres med en producentgaranti som standard og supporteres af ADI's tekniske helpdesk-service.

W box garanti spænder fra 1 år til begrænset levetid.



Producentens garanti i 1, 2, 3 eller 5 år fra købsdatoen.



Producentens garanti for den levetid, at produkterne stadig fremstilles kontinuerligt efter købsdatoen

**ADI
PRO**

UltraTech
POWER PRODUCTS

W BOX
TECHNOLOGIES

Indhold

1 Access Control	4 - 5
2 Batteries	6
3 Monitor Brackets	7
4 Cable & Wire	8 - 10
Cable & Wire Accessories & Tools	11 - 12
5 HDMI & Coax Cable	13
6 Fire & EM Lighting	14 - 15
7 Monitors & Displays	16 - 20
8 Network Switches	21
9 Power Supplies	22 - 23
10 Residential A/V	24
11 Enclosures, Tools & Hardware	25 - 30
12 Video Accessories	31



Ring

43 24 56 00



Klik

www.adiglobal.dk

E: info.dk@adiglobal.com

order.dk@adiglobal.com



Hent

Efter bestilling og klarmelding

Baldershøj 13-15, 2635 Ishøj

AVAILABLE
EXCLUSIVELY AT

ADI
a resideo company



WBXRTESSGD

WARRANTY
3 YEARS

Green Dome RTE Button Stainless Steel Surface

- Surface Mount
- Stainless Steel
- Green Dome
- Single Gang



WBXRTE

WARRANTY
3 YEARS

No Touch RTE Switch Stainless Steel Surface

- Surface Mount
- Stainless Steel
- No Touch
- Single Gang



WBXRTE1

WARRANTY
3 YEARS

RTE Switch 1 Gang 1 Way with Back Box

- Surface Mount
- Plastic
- Single Gang
- Single Pole



WBXEGSP

WARRANTY
3 YEARS

Green Break Glass Surface Single Pole

- Break Glass
- Resettable
- Green
- Surface Mount
- Single Pole



WBXEGDP

WARRANTY
3 YEARS

Green Break Glass Surface Double Pole

- Break Glass
- Resettable
- Green
- Surface Mount
- Double Pole



WBXEGKEY

Limited
Lifetime

Test and Reset Keys for the WBXEDSP and WBXEGDP

- Pack of 10

W Box Strømforsyninger

WARRANTY
3 YEARS



WBXACCESSPSU12248A

Multi Controller Power Supply

- Selectable 12VDC or 24VAC w way output
- Full rated 12VDC/8A or 24DC/4A to load
- Reverse battery connection protection
- Complete with mounting posts
- Dimensions: W405 x H506 x D85mm

**Strømforsyninger
se side 22 - 23**



WBXEGSD-COVER

Egress Accessory
Rep Cover for
WBXEGSP & EGDP



Limited
Lifetime


WARRANTY
3 YEARS
WBX280S
Magnet 280Kg Surface Unmonitored Maglock

- Surface Magnet, unmonitored
- 280Kg, 12/24 VDC Selectable


NEW
@ADI
Limited
Lifetime
WBX280AS
Magnet Arm Housing, WBX280 Range Maglocks

WARRANTY
3 YEARS
WBX280S-M
Magnet 280kg Surface Monitored Maglock

- Surface Magnet, monitored
- 280Kg, 12/24 VDC Selectable


Limited
Lifetime
WBX280ZL
Magnet & Z & L Bracket To Fit WBX280S & WBX280S-M


- To Fit WBX280S & WBX280S-M


NEW
@ADI
WARRANTY
3 YEARS
WBX280S-D-M
280kgs DOUBLE magnetic Lock Monitored


- 280Kg Holding Force
- Double Magnet
- Surface Mount


WARRANTY
3 YEARS
NEW
@ADI
WBX500S-M
500Kgs Monitored Magnetic Lock

- 500Kg Holding Force
- Single Magnet
- Surface Mount


NEW
@ADI
Limited
Lifetime
WBX280ZL-D
DOUBLE Z&L Bkt to fit WBX280S-D-M

- Satin Anodised Aluminium


NEW
@ADI
Limited
Lifetime
WBX500ZL
Z & L Bracket to fit WBX500S-M

- Satin Anodised Aluminium


Limited
Lifetime
WBX30DL
30 cm Door Loop

- Door Loop
- 30 cm


Limited
Lifetime
WBX45DL
45 cm Door Loop

- Door Loop
- 45 cm


NEW
@ADI
Limited
Lifetime
WBX280ZL-AH-S
Z & L Bracket to fit WBX280

- To suit WBX280 Range of Mag Locks
- Satin Anodised Aluminium


NEW
@ADI
Limited
Lifetime
WBX500AS
Armature Housing to fit WBX500S-M

- Satin Anodised Aluminium

WARRANTY
2 YEARS



UT-1220

Battery SLA, 12V, 2.3Ah



UT-1232

Battery SLA, 12V, 3.2Ah

- T1 Terminal
- L134 x W67 x H60.5mm

UltraTech
POWER PRODUCTS

NEW
@ADI



UT-1270

Battery SLA, 12V, 7Ah

- T1 Terminal
- L151 x W65 x H94mm



UT-12120

Battery SLA, 12V, 12Ah

- T2 Terminal
- L151 x W98 x H95mm



UT-121805

Battery SLA, 12V, 18Ah

- M5 Terminal
- L182 x W77 x H168mm

IM-CR123A

**CR123A 3V Lithium
Battery - Each**

NEW
@ADI



WBX0E-AA12PK

Battery AA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature



IM-CR2032

**CR2032 3V Lithium
Coin Battery - Each**

NEW
@ADI



WBX0E-AAA12PK

Battery AAA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature



Limited
Lifetime



WBXMB1330TM

Monitor Bracket 13-30" Tilt 100*100

- Wall mount monitor bracket
- Tilt only action
- Tilt: 0 to -12 degree
- Vesa mount: 100x100mm (max)
- Load capacity: 15kg (max)
- Black



WBXMB1342TSD

Monitor Bracket 13"-42" Swivel Double Tilt 200*200

- Wall mount monitor bracket
- Double arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (Max)
- Load capacity: 25kg (Max)
- Black



WBXMB3265TM

Monitor Bracket 32"-65" Tilt 400*400

- Wall mount monitor bracket
- Monitor size Up to 65"
- Tilt: +8 to -12 degree
- Vesa mount: 400x400mm (Max)
- Load capacity: 50 kg (Max)
- Black



WBXMB1332TSS

Monitor Bracket 13"-32" Swivel Single Tilt 100*100

- Wall mount monitor bracket
- Single arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (Max)
- Load capacity: 25kg (Max)
- Black



**Ægte 4K
sikkerhedsovervågning**

Se side 16 - 20 for at
se vores udvalg af skærme

CAT5e Cables 0.5m - 5m

Limited
Lifetime



Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: Grey
- Anti-Snag

WBXC5EGY0.5MP5	0.5m (Pack of 5)
WBXC5EGY1MP5	1m (Pack of 5)
WBXC5EGY2MP5	2m (Pack of 5)
WBXC5EGY3MP1	3m (Single)
WBXC5EGY5MP1	5m (Single)



Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: Blue
- Anti-Snag

WBXC5EBL0.5MP5	0.5m (Pack of 5)
WBXC5EBL1MP5	1m (Pack of 5)
WBXC5EBL2MP5	2m (Pack of 5)
WBXC5EBL3MP1	3m (Single)
WBXC5EBL5MP1	5m (Single)



Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: Red
- Anti-Snag

WBXC5ERD0.5MP5	0.5m (Pack of 5)
WBXC5ERD1MP5	1m (Pack of 5)
WBXC5ERD2MP5	2m (Pack of 5)
WBXC5ERD3MP1	3m (Single)
WBXC5ERD5MP1	5m (Single)

Limited
Lifetime



For vores udvalg af
netværksswitches se side 21

CAT6e Cables 0.5m - 5m

Limited

Lifetime



Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Grey
- Anti-Snag

WBXC6EGY0.5MP5	0.5m (Pack of 5)
WBXC6EGY1MP5	1m (Pack of 5)
WBXC6EGY2MP5	2m (Pack of 5)
WBXC6EGY3MP1	3m (Single)
WBXC6EGY5MP1	5m (Single)



Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Blue
- Anti-Snag

WBXC6EBL0.5MP5	0.5m (Pack of 5)
WBXC6EBL1MP5	1m (Pack of 5)
WBXC6EBL2MP5	2m (Pack of 5)
WBXC6EBL3MP1	3m (Single)
WBXC6EBL5MP1	5m (Single)



Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Red
- Anti-Snag

WBXC6ERD0.5MP5	0.5m (Pack of 5)
WBXC6ERD1MP5	1m (Pack of 5)
WBXC6ERD2MP5	2m (Pack of 5)
WBXC6ERD3MP1	3m (Single)
WBXC6ERD5MP1	5m (Single)



Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Green
- Anti-Snag

WBXC6EGN0.5MP5	0.5m (Pack of 5)
WBXC6EGN1MP5	1m (Pack of 5)
WBXC6EGN2MP5	2m (Pack of 5)
WBXC6EGN3MP1	3m (Single)
WBXC6EGN5MP1	5m (Single)

Limited
Lifetime

CAT5 General Purpose



Cat5e Cable Internal Grade

- Cat5e
- PVC outer sheath
- Colour: Grey
- Pure Copper

WBXC5EGY050MPVC	50m
WBXC5EGY100MPVC	100m




Cat5e Cable External Grade

- Cat5e
- PE outer sheath
- Colour: Black
- Pure Copper

WBXC5EBK050MPE	50m
WBXC5EBK100MPE	100m

CAT6 General Purpose



Cat6e Cable Internal Grade

- Cat6e
- PVC outer sheath
- Colour: Grey
- Pure Copper

WBXC6EGY050MPVC	60m
WBXC6EGY100MPVC	100m



Cat6e Cable External Grade

- Cat6e
- PE outer sheath
- Colour: Black
- Pure Copper

WBXC6EBK050MPE	60m
WBXC6EBK100MPE	100m

COMING
SOON

Værktøj og hardware

Hos ADI udvikler vi hele tiden vores Private Label-tilbud for at give vores kunder omkostningseffektive løsninger.



Se side 27 - 28 for vores udvalg af værktøjer og hardware, der kommer snart for 2022

WBXCATBTES

RJ45 Tester

- 2 Piece set
- Check continuity of RJ11 & RJ45 cable quickly
- LED status display
- Slow and fast test switch
- Simple to use



WARRANTY
1 YEAR

WBXRJ45CRIMP

RJ45 Crimp Tool

- RJ crimp tool
- RJ45/RJ12/RJ11
- With cable cutter & stripper



WARRANTY
1 YEAR

RJ45 Crimp connector

Limited
Lifetime

- Suitable for Cat5e cable

WBXC5ERJ45P10 (Pack of 10)

WBXC5ERJ45P100 (Pack of 100)



RJ45 Crimp connector

Limited
Lifetime

- Suitable for Cat6e cable

WBXC6ERJ45P10 (Pack of 10)

WBXC6ERJ45P100 (Pack of 100)



RJ45 CAT5/6e Strain Boots

Limited
Lifetime

- RJ45 strain boot
- Cat5e/Cat6e

WBXCATSBP10 (Pack of 10)

WBXCATSBP100 (Pack of 100)



WBXCATCOUP

Limited
Lifetime

RJ45 CAT5/6e Coupler Each

- RJ45 coupler
- Cat5e & Cat6e



WBXBNCFFCP10

Limited
Lifetime

BNC Coupler 10 Pack

- RG59 female - female connector
- 10 pack



WBXBNCM22FTP10

Limited
Lifetime

BNC T M-F 10 Pack

- RG59 BNC male - female
T piece connector
- 10 pack





WBXBNCM59P10

Limited
Lifetime

BNC Crimp Connector 10 Pack

- RG59 BNC male crimp connector
- 10 pack



WBXBNCM59P50

Limited
Lifetime

BNC Crimp Connector 50 Pack

- RG59 BNC male crimp connector
- 50 pack



WBXBNC59SRP10

Limited
Lifetime

BNC Strain Boot 10 Pack

- RG59 BNC strain boot
- 10 pack
- Black



WBXBNC59TOOL

Limited
Lifetime

BNC Insertion and Extraxtion Tool

- BNC Removal / Insertion
- Long Reach



WBXRG59STIP

WARRANTY
1 YEAR

RG59 3 Blade Wire Stripper

- Coaxial cable stripper
- For RG58/RG59/RG6
- 3 blades

ADI Digital Branch

Shop 24/7 - markedsledende produkter
til sikkerhed, brandsikring og Pro AV.



I vores e-shop kan du bestille når som
helst på dagen, udforske produkter
og mærker og få information
om lagerstatus når du har brug for det.

**Tilmeld dig en
e-shop konto i dag**



HDMI Cables - 4K 30Hz

HDMI 1.4V Cables suitable for all W Box 24/7 security monitors (excluding 4K versions)



Interconnect HDMI high speed cable

- HDMI to HDMI cable
- Black
- 1.4V, 30AWG, 4K, 30Hz
- Gold plated

WBXHDMI01	1m
WBXHDMI02	2m
WBXHDMI03	3m
WBXHDMI05	5m
WBXHDMI10	10m

HDMI Cables - 4K 60Hz

HDMI 2.0V Cables suitable for all W Box 24/7 security monitors



HDMI2.0v, 19+1CCS, 4K, 60HZ

- HDMI to HDMI cable
- Black
- 2.0V, 30AWG, 4K, 60Hz
- Gold plated

WBXHDMI01V2	1m
WBXHDMI02V2	2m
WBXHDMI03V2	3m
WBXHDMI05V2	5m
WBXHDMI10V2	10m
WBXHDMI15V2	15m

WBXRG59B1

RG59 CU 100m Drum

- RG59
- 100m drum
- Black



WBXRG59100M2C

RG59 Shotgun CU 100m Drum

- RG59
- + 2 core for low voltage
- 100m drum
- Black



COMING
SOON

Værktøj og hardware

Se side 27 - 28 for at se vores udvalg af værktøj og hardware, der kommer i 2022



WARRANTY
3 YEARS

WBXELB3W

**Emergency Lighting 3w
Maintained Bulkhead**



WARRANTY
3 YEARS

WBXELES3W

**Emergency Lighting Sign
3w Exit Sign Ip20**



WBXFIRELOGBOOK

Fire Log Book

- 32 pages
- Comprehensive record keeping detail
- Records detail of
 - System design
 - Installation
 - Inspection and Maintenance



WBXGLRED10

**Fire Accessory Back Box
Red Glands 6-12mm10pk**

Limited
Lifetime



WBXSHRED10

**Fire Accessory Back Box
Red Gland Shroud 10pk**

Limited
Lifetime



WBXAIRCAN

HFC Free Gas Air Duster

- HFC Free
- 400ml

Limited
Lifetime



WBXCT200SS

**Stainless Steel Cable Ties
(Pack of 100)**

- Stainless Steel
- Pack of 100

Limited
Lifetime

WBXCT400SS

**Stainless Steel Cable Ties
(Pack of 100)**

- Stainless Steel
- Pack of 100

Limited
Lifetime

WARRANTY
3 YEARS



WBXELTS3WI20
Emergency Lighting Ip20
LED Twin Spot 3w



WBXELTS3WI65
Emergency Lighting Ip65
LED Twin Spot 3w



WBXCBLI
Fire Accessory Back Box
Galve Lid, Seal & Scr



WBXFUSEKIT
Intruder Fuse Kit -
18 Fuses x 5



WBXRESKIT
Intruder Resistor Kit
9 Resistors x 30



WBXCBSSE
Fire Accessory Back Box
20mm Galve Stop End



WBXCBTB
Fire Accessory Back Box
20mm Galve Through



WBXCUB
Fire Accessory Back Box
20mm Galve U Bend



Full HD LED CCTV Monitors

Experience Full HD CCTV security monitoring.

Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with BNC, HDMI, VGA, DVI and Audio.

All W Box monitors come with 3 years manufacturers warranty as standard.

WARRANTY
3 YEARS

HDMI Cables - 4K 30Hz

HDMI 1.4V Cables suitable for all W Box 24/7 security monitors (excluding 4K versions)

Interconnect HDMI high speed cable

- HDMI to HDMI cable
- Black
- 1.4V, 30AWG, 4K, 30Hz
- Gold plated

WBXHDMI01	1m
WBXHDMI02	2m
WBXHDMI03	3m
WBXHDMI05	5m
WBXHDMI10	10m





WBXMP19

18.5" HD LED Monitor

- 18.5" UHD 4K LED screen
- 1366 x 768 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio Inputs
- Weight: 3.5kg



WBXMP22

21.5" HD LED Monitor

- 21.5" FHD 4K LED screen
- 1920 x 1080 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio Inputs
- Weight 4.5kg



WBXML20

19.5" Full HD LED Monitor

- 19.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4kg



WBXML22

21.5" Full HD LED Monitor

- 21.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4.5kg



WBXML24

23.5" Full HD LED Monitor

- 23.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 5.4kg



WBXML32

32" Full HD LED Monitor

- 31.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 12.7kg



4K UHD CCTV Monitors

Experience True 4K CCTV security monitoring

Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI, BNC and Audio.

All W Box monitors come with 3 years manufacturers warranty as standard.



HDMI Cables - 4K 60Hz

HDMI 2.0V Cables suitable for all W Box 24/7 security monitors

Interconnect HDMI high speed cable

- HDMI to HDMI cable
- Black
- 2.0V, 30AWG, 4K, 60Hz
- Gold plated

WBXHDMI01V2	1m
WBXHDMI02V2	2m
WBXHDMI03V2	3m
WBXHDMI05V2	5m
WBXHDMI10V2	10m
WBXHDMI15V2	15m





WBXML4K28

4K 28" LED Monitor

- 28" 4K UHD LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio Inputs
- Weight 10.6kg



WBXML4K43

4K 43" LED Monitor

- 43" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio Inputs
- Weight 11kg



WBXML4K49

4K 49" LED Monitor

- 49" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio Inputs
- Weight 14.5kg



WBXML4K55

4K 55" LED Monitor

- 55" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio Inputs
- Weight 19.2kg

Limited
Lifetime



WBXMB1330TM

Monitor Bracket 13-30" Tilt 100*100

- Wall mount monitor bracket
- Tilt only action
- Tilt: 0 to -12 degree
- Vesa mount: 100x100mm (max)
- Load capacity: 15kg (max)
- Black



WBXMB1332TSS

Monitor Bracket 13"-32" Swivel Single Tilt 100*100

- Wall mount monitor bracket
- Single arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (Max)
- Load capacity: 25kg (Max)
- Black



WBXMB1342TSD

Monitor Bracket 13"-42" Swivel Double Tilt 200*200

- Wall mount monitor bracket
- Double arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (Max)
- Load capacity: 25kg (Max)
- Black



WBXMB3265TM

Monitor Bracket 32"-65" Tilt 400*400

- Wall mount monitor bracket
- Monitor size Up to 65"
- Tilt: +8 to -12 degree
- Vesa mount: 400x400mm (Max)
- Load capacity: 50 kg (Max)
- Black

ADI Digital Branch


Shop 24/7 - markedsledende produkter
til sikkerhed, brandsikring og Pro AV.



I vores e-shop kan du bestille når som
helst på dagen, udforske produkter
og mærker og få information
om lagerstatus når du har brug for det.

**Tilmeld dig en
e-shop konto i dag**

Limited
Lifetime



0E-5PGIGUN

5 Port Gigabit Unmanaged Ethernet Switch

- 5 x 10/100/1000 Mbps
- Easy set-up plug and play
- Switching capacity 10Gbps
- Port status LED indicator



0E-8P4POEGIG

8 Port Fast Gigabit Ethernet PoE Switch

- 4 x 10/100/1000 Mbps PoE ports
- 4 x 10/100/1000 Mbps ports
- Easy set-up plug and play
- 62W PoE budget
- Port status LED indicator



0E-8P65W4POE

8 Port Fast Ethernet PoE Switch

- 4 x 10/100 Mbps ports
- Easy set-up plug and play
- 62W PoE budget
- Port status LED indicator



0E-8PGIGUN

8 Port Gigabit Unmanaged Ethernet Switch

- 8 x 10/100/1000 Mbps
- Easy set-up plug and play
- Switching capacity 10Gbps
- Port status LED indicator



0E-9P8POEGIG

9 Port Fast Gigabit Ethernet PoE Switch

- 8 x 10/100/1000 Mbps PoE ports
- 1 x 10/100/1000 Mbps port
- Easy set-up plug and play
- 130W PoE budget
- Port status LED indicator

WARRANTY
3 YEARS

1 Amp
2 Amp



Power 12VDC Inline PSU

- Inline power supply
- 12V DC output
- 1.2m DC cable
- 5.5*2.1mm plug

3.5 Amp
5 Amp



WBXIL10EU **1 Amp**

WBXIL20EU **2 Amp**

WBXIL35EU **3.5 Amp**

WBXIL50EU **5 Amp**



WBXDC-MALE

DC Jack Male 10 pack

- DC Jack
- Male
- 2.1mm connector
- Nickel plated



WBXDC-FEMALE

Dc Jack Female 10 Pack

- DC Jack
- Female
- 2.1mm connector
- Nickel plated



WBXIL2024-EU

WARRANTY
3 YEARS

Power 24V AC 2 Amp Inline PSU

- 24V AC
- 2Amp



WBXIL4024-EU

WARRANTY
3 YEARS

Power 24V AC 4 Amp Inline PSU

- 24V AC
- 4Amp



WBXPSUSP4

Limited
Lifetime

Female DC to 4 way DC Splitter

- DC Plug with 5.5*2.1mm connector
- Black PVC
- Nickel plated



NEW
@ ADI

WARRANTY
3 YEARS

WBXPSU4024IP

External IP Rated Power Supply

- Input: AC230V/50Hz, rated 3A Fuse
- Output: 1 x 4A or 4 x 1A
- Output Voltage: 24V AC
- PTC Fuse: Auto Reset PTC Fuse for each output
- Operating Temperature: -10C to +40C
- Material: Grey Polycarbonate
- IP Rating: IP66
- Weight: 2.8KG
- Dimensions: 27cm x 15cm x 8.9cm



NEW
@ ADI

WARRANTY
3 YEARS

WBXPSU5012IP

External IP Rated Power Supply

- AC110-230VAC
- Output: 12V DC @ 1 x 5A or 8 x 0.8A
- Auto Reset PTC Fuse
- -10 to +40C
- IP66
- 1.2Kg
- 27 x15 x 8.9cm



A range of 24VDC Power Supply Units ideal for Access Control and various other applications with Battery Backup Facility.

WBXPSUC12V5A4

**Power Multi Output PSU
Up to 4 way 5A**

- CCTV Boxed Power Supply
- Multi Output
- Metal enclosure
- Upto 4 way
- Max 5Amp

WBXPSUC12V10A9

**Power Multi Output PSU
Up to 9 way 10A**

- CCTV Boxed Power Supply
- Multi Output
- Metal enclosure
- Upto 9 way
- Max 10Amp

WBXPSU1A24VDT

1 Amp 24vDC Boxed PSU

WBXPSU2A24VDT

2 Amp 24vDC Boxed PSU

WBXPSU3A24VDT

3 Amp 24vDC Boxed PSU

WBXPSU5A24VDT

5 Amp 24vDC Boxed PSU

WBXPSU10A24VDT

10 Amp 24vDC Boxed PSU

- Input 90 to 264 Vac
 - Output: Nominal 27.6VDC
 - Short circuit overload protection
- Mains transient protection
 - Antitamper, Front and Rear
 - Back up Battery requires 24VDC

WBXPSUC12V16A16

**Power Multi Output PSU
Up to 16 way 16A**

- CCTV Boxed Power Supply
- Multi Output
- Metal enclosure
- Upto 16 way
- Max 16Amp

A range of 24VDC Transformer Rectifier Power Supply Units ideal for Access Control and various other applications.

WBXPSU1A24V DST

1 Amp 24vDC Boxed PSU

WBXPSU2A24V DST

2 Amp 24vDC Boxed PSU

WBXPSU4A24V DST

4 Amp 24vDC Boxed PSU

- Input 90 to 264 Vac
 - Output: Regulated 24VDC
 - Lit Tamper Protection
- Selectable NO/NC input for Relay
 - External DC24V voltage input for Relay

**13.8V Switch Mode
PSU in Metal Box**

- Boxed power supply
- 13.8V DC output
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

5 Amp

- Battery Compartment - 350 x 220 x 80mm

WBXPSU1A12VT

1 Amp

WBXPSU2A12VT

2 Amp

WBXPSU3A12VT

3 Amp

WBXPSU5A12VT

5 Amp



1 Amp - 2 Amp - 3 Amp



5 Amp





WARRANTY
3 YEARS

WBXUSBE1

100m USB Extender

- Compliant with USB 2.0 specification in short distance(<10meters);
- Provides support for any full-speed (12 Mb/s) or low-speed (1.5 Mb/s) USB device
- Some low power low-speed USB devices can work with cable up 200 meters.
- Embedded USB 1.1 Transceivers prevents signal loss;
- Downstream connector: Female, Type "B", USB Approved Connector
- Up stream connector: Male, Type "A", USB Approved Connect.



HDMI Splitter

- Supports 3D video format
- HDR 4K*2K
- HDMI 1.4 HDCP1.4
- RGB Format

WBXHDMIS2 x2 HDMI Output

WBXHDMIS4 x4 HDMI Output



Limited
Lifetime

WBXDPHDMI4

Display port to HDMI Converter

- Support Display Port v1.1, HDMI V1.4b
- Support Display Port signal to HDMI signal conversion
- Support 20pin Display Port interface
- Support up to 10.8Gbps video bandwidth
- Max support QXGA (1920*1200) resolution output
- Supports 4K
- No external power supply required



WARRANTY
3 YEARS

WBXHDME6IR

60m HDMI Extender

- Support HDMI 1.4a
- Support 3D
- Support highest video resolution 1080p/60Hz
- Support 1.65Gbps data rate and tmnds clock up to 165MHz
- Support 8/10/12 bit deep color
- Support AWG26 HDMI standard cable, input up to 15m, output up to 20m
- Signal transmission: By using single cat-5e or cat-6 (recommended cable instead of HDMI Cable it can extend the distance up to 60m between TX and RX.
- No loss of quality

IP65 External Junction Box

- IP65 rating
- Material ABS
- Halogen-Free
- Insulation class II (according to IEC 61140)
- Grey / Ral 7035

WBXJB204	100x100x50mm
WBXJB206	150x110x70mm
WBXJB207	190x140x70mm
WBXJB208	240x190x90mm
WBXJB209	300x220x120mm
WBXJB210	380x300x120mm



Limited
Lifetime

Limited
Lifetime



WBXLDVR1

Limited
Lifetime

Cabinet Lockable DVR Enclosure

- Secure Cabinet
- Suites DVR or NVR
- External 445 x 404 x 120mm
- Internal 400 x 400 x 91mm
- 6.0kg

ENCLOSURE M20*1.5 access gland 6-12mm ca

- IP Gland, M20*1.5, 6-12mm Cable Access

WBXGL6-12M20P3	Pack of 3
WBXGL6-12M20P5	Pack of 5

WBXLDVR2

Limited
Lifetime

Cabinet Lockable DVR Enclosure

- Secure Cabinet
- Suites DVR or NVR
- External 540 x 510 x 124mm
- Internal 510 x 478 x 103mm
- 7.9g

WBXLDVRKEY

Limited
Lifetime

Cabinet 2 Replacement Keys For WBXLDVR 1 & 2



WBX10WPL

WARRANTY
3 YEARS

Portable Work Light

- Portable work light
- 10 Watt
- Industrial use
- Rechargeable

ADI Digital Branch



Tilmeld dig en e-shop
konto i dag

Udvidet brandproduktsortiment

For at se hele vores udvalg af
brandprodukter se side 14 - 15



WBXFIRELOGBOOK

Fire Log Book

- 32 pages, Comprehensive record keeping detail
- Records detail of System design, Installation, Inspection and Maintenance




Cable Tie 200mm x 4.8mm (Pack of 100)

- UV protected
- 200 x 4.8mm
- Pack of 100

WBXCT200BK **Black**

WBXCT200NT **Neutral**



WBXA4DOCW

Enclosure Document A4 Document Box White



Cable Tie 300mm x 4.8mm (Pack of 100)

- UV protected
- 300 x 4.8mm
- Pack of 100

WBXCT300BK **Black**

WBXCT300NT **Neutral**



WBXDCKEY

Enclosure Document Spare Key A4 Doc Box



Stainless Steel Cable Ties (Pack of 100)

- Stainless Steel
- Pack of 100

WBXCT200SS **200x4.6mm**

WBXCT400SS **400x4.6mm**

COMING
SOON



WBXSC1.0/25PH

Limited
Lifetime

Tool Screwdriver CPLUS
Stubby Phillips D

COMING
SOON



WBXSC2.5/75SLVDE

Limited
Lifetime

Tool Screwdriver CPLUS
Ins Slotted Drive

COMING
SOON



WBXSC4.0/100SLVDE

Limited
Lifetime

Tool Screwdriver CPLUS
Ins Slotted Drive

COMING
SOON




WBXSC6.5/25SL

Limited
Lifetime

Tool Screwdriver CPLUS
Stubby Slotted Dr

COMING
SOON



WBXSCSET7PCVDE

Limited
Lifetime

Tool Screwdriver 7 Pc
CPLUS 1000v Set Vd

COMING
SOON



WBX31PCSET

Limited
Lifetime

Tool Screwdriver
31 Piece Bit Set

COMING
SOON



WBXSC3.0/140TESTER

Limited
Lifetime

Voltage Tester, 150-250V
Short 3x140 mm

COMING
SOON



WBXCU161VDE

Limited
Lifetime

160 mm 1000V Diagonal
Cutter (VDE)

COMING
SOON



WBXADJPL250VDE

Limited
Lifetime

250 mm 1000V Water
Pump Pliers

COMING
SOON



WBXLN160VDE

Limited
Lifetime

160 mm 1000V Long Nose
Pliers (VDE)

COMING
SOON



WBXPL180VDE

Limited
Lifetime

180 mm 1000V
Combination Pliers (VDE)

COMING
SOON



WBXHEX6PC

Limited
Lifetime

6 Piece Foldup Hexagon
Key Set



WBXHEX7PCL

7 Piece Ball End Hex L
Key Set Long Arm

Limited
Lifetime



WBXKSNAP-KNIFE18

C-Pro Snap-Off Knife
- 18 mm

Limited
Lifetime



WBXSAFETY-KNIFE

Safety Trimming Knife
(Trapezoid Blade)

Limited
Lifetime



J47-R

Trapezoid Trimming Knife
Blade - 10pc

Limited
Lifetime



WBXHACKSAW260

Mini Hacksaw- 260 mm

Limited
Lifetime



WBXHACKSAW430

Hacksaw in-Handle Fixing
System 430 mm

Limited
Lifetime



WBXSAW160

Wallboard Saw
(160 mm Cutting Mouth)

Limited
Lifetime



J36-R

Mini Hacksaw Blades,
for J36-150) 10 PC

Limited
Lifetime



J35-18B

Hacksaw Blades HSS
Bi-Metal-18TPI 10 PC

Limited
Lifetime



WBXTAPE5M

Tape Measure,
Inch/Metric 5M-16ft

Limited
Lifetime



WBXAC-DETECTOR

Non-Cont AC Voltage
Detector max. 1000V

WARRANTY
1 YEAR

**ADI
PRO**

**WARRANTY**
1 YEAR

Test Monitor

WBXMLTEST

Test Monitor

- Supports Analogue, IPC(H.264/ H.265/ 4K), AHD 3.0, TVI 3.0,CVI 3.0 Camera
- Step by step IPC test, quickly locate failure
- ONVIF highly compatible
- Ergonomic design, single hand operation
- Real time operation prompt
- 12V/1A power output
- Dual 100M network port, capable of detecting packet lost, monitoring network flow
- TDR RJ45 Cable Test
- 4.0 inch all viewing angle display, 800X480 resolution, 16.7M colour
- Swing keyboard input, QWERTY
- Changeable Li-polymer battery
- Battery working time 5 hours
- Rubberised Protective Casing
- Dual LED torch

WBXMLTBAT

Spare Battery



WARRANTY
1 YEAR

WBXBNCCRIMP

RG59 Crimp Tool



NEW
@ADI

WBXFUSEKIT

Intruder Fuse Kit -
18 Fuses X 5



NEW
@ADI

WBXRESKIT

Intruder Resistor Kit
9 Resistors X 30



NEW
@ADI

WBXBNCTOOL

BNC Insertion and
Extraxtion Tool

- BNC Removal / Insertion
- Long Reach

Limited
Lifetime



WARRANTY
1 YEAR

WBXRG59STIP

RG59 3 Blade Stripper

- Coaxial cable stripper
- For RG58/RG59/RG6
- 3 blades



WARRANTY
1 YEAR

WBXCATBTESER

RJ45 Tester

- 2 Piece set
- Check continuity of RJ11& RJ45 cable quickly
- LED status display
- Slow and fast test switch
- Simple to use



WARRANTY
1 YEAR

WBXRJ45CRIMP

RJ45 Crimp Tool

- RJ crimp tool
- RJ45/RJ12/RJ11
- With cable
cutter & stripper



WBXVHLR1224

Relay Multi Purpose Relay 8a 12/24V

- Relay
- Board Only
- 12 / 24V Operation
- Multi Purpose



Tape PVC 19mm x 20m

- Insulation tape
- 1pc
- PVC

WBXTAPEB

Black

WBXTAPEW

White


WBXHDBP1
**HD Video Balun, Dual Pack 1 X PIG
1 X STD No Surge 5 MP**

- 720/960P/1080P,3MP/4MP/5MP
- HD-CVI/AHD/TVI/CVBS
- Pack: pair

Limited
Lifetime

WBXHDPOCB1
HD Video Balun with Power over Coax

- HD Balun
- Power over Coax
- TVI, CVI, AHD & CVBS
- 4k Resolution

Limited
Lifetime

WBXLDVR1
**Cabinet Lockable Dvr Enclosure
445x404x**

- Secure Cabinet
- Suites DVR or NVR
- External 445 x 404 x 120mm
- Internal 400 x 400 x 91mm
- 6.0kg

Limited
Lifetime

WBXLDVR2
**Cabinet Lockable Dvr Enclosure
540x510x**

- Secure Cabinet
- Suites DVR or NVR
- External 540 x 510 x 124mm
- Internal 510 x 478 x 103mm
- 7.9g

Limited
Lifetime

WBXHDBPV1
Hd Video Balun with Power

- HD Balun
- UTP
- Power & Video
- Up to 200m
- 12V Dc

Limited
Lifetime

WBXGLIHD
HD Ground Loop Isolator

- Compatible with all HD-TVI, HD-CVI, AHD & CVBS analog cameras
- BNC male to BNC female with mini 20cm RG 59 coaxial pigtail lead on both sides.
- Passive, No power supply required
- Prevents video-signal distortion caused by video ground loops

WARRANTY
3 YEARS

WBXLDVRKEY

- Spare Key
- Pack of 2

Limited
Lifetime

God kvalitet til en god pris, hver dag

Indbrud | Video | Adgang
Netværk | Kabel



Ring

43 24 56 00



Klik

www.adiglobal.dk

E: info.dk@adiglobal.com

order.dk@adiglobal.com



Hent

Efter bestilling og klarmelding

Baldershøj 13-15, 2635 Ishøj

UltraTech[®]
POWER PRODUCTS

ADI
PRO

AVAILABLE
EXCLUSIVELY AT

ADI
a resideo company

ADI Global Distribution, Baldershøj 13-15, 2635 Ishøj, (T) 43 24 56 00 (E) salg.dk@adiglobal.com, (W) www.adiglobal.dk

Særtilbud gælder kun for ordrer, der afgives inden for den angivne kampagneperiode - alle ordrer, der afgives efter kampagnens afslutning, vil være gyldige til kundens normale pris. Særtilbuddet kan ikke kombineres med andre tilbud. Alle priser er angivet ekskl. forsendelse, moms og eventuelle skatter og kan ændres uden varsel. Produkterne er tilgængelige, så længe lager haves. Kontroller venligst inden du bestiller. Bespareser vises i forhold til prisen på ordretidspunktet. Ikke alle produkter kan eksporteres fra Norden. Kontroller venligst inden du bestiller. ADI's leveringsbetingelser gælder. Selvom der er gjort alt for at sikre, at indholdet af denne publikation er korrekt, tages der forbehold for eventuelle fejl, mangler og udeladelser.