

Skærme og tilbehør



KUN HOS

Velkommen!

ADI er den markedsledende distributør af brand- og sikkerhedsprodukter og har eksisteret i over 30 år.

Vi sælger alt fra video til brandsikkerhedsløsninger med nordens bredeste udvalg af sikkerhedsprodukter og projektjenester.

Uanset hvordan dine kunders krav ser ud, kan vi altid tilbyde en løsning.



130+

Varemærker

10000+

Produkter

Fordel WBOX!

Vi er stolte over at kunne præsentere WBOX Technologies & UltraTech Power Products

Sortimentet tilbyder et bredt udvalg af 4K UHD-, Full HD- og HD-skærme og tilbehør. Produkterne fra WBOX Technologies er designet til at levere den bedste kvalitet og ydeevne til systemintegratorer og brugere til en overkommelig pris.

Hvert WBOX- og UltraTech -produkt leveres med producentens garanti som standard.

WARRANTY
1 YEAR

WARRANTY
2 YEARS

WARRANTY
3 YEARS

Limited
Lifetime

Producentens garanti i 1, 2 eller 3 år fra produktionsdatoen.

Producentens garanti for produktet, så længe det stadig er fremstillet, baseret på købsdatoen.

Ring

43 24 56 00

Webshop

www.adiglobal.dk

Email

salg.dk@adiglobal.com

App

Søg: ADI DK



Udviklet til installatører og slutbrugere



4K UHD CCTV Monitors

Experience True 4K CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI, BNC and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.



WARRANTY
3 YEARS



4K 28" LED Monitor

- 28" 4K UHD LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 10.6kg

WBXML4K28

1995,-

4K 43" LED Monitor

- 43" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 11kg

WBXML4K43

3355,-

HDMI Cables - 4K 60Hz

Limited
Lifetime

HDMI 2.0V CABLES
SUITABLE FOR ALL WBOX
24/7 SECURITY MONITORS

HDMI 2.0V

- HDMI to HDMI cable
- Black
- Gold plated
- 1 to 5M cable construction 30 AWG
- 10M cable construction 28 & 30 AWG
- 15M cable construction 26 & 28 AWG



1m	2m	3m	5m	10m	15m
WBXHDMI01V2	WBXHDMI02V2	WBXHDMI03V2	WBXHDMI05V2	WBXHDMI10V2	WBXHDMI15V2
25,-	29,-	39,-	49,-	129,-	249,-

4K UHD CCTV Monitors



WARRANTY
3 YEARS



4K 49" LED Monitor

- 49" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 14.5kg

WBXML4K49

3825,-

4K 55" UHD Monitor

- 55" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 19.2kg

WBXML4K55

4439,-

HDMI Converter

Limited
Lifetime

Display port to HDMI Converter

- Support Display Port v1.1, HDMI V1.4b
- Support Display Port signal to HDMI signal conversion
- Support 20pin Display Port interface
- Support up to 10.8Gbps video bandwidth
- Max support QXGA (1920*1200) resolution output
- Supports 4K
- No external power supply required



WBXDPHDMI4

65,-

For brackets see page 8



Full HD LED CCTV Monitors

Experience Full HD CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with BNC, HDMI, VGA, DVI and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.

WARRANTY
3 YEARS

19.5" Full HD LED Monitor

- 19.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4kg

WBXML20

869,-



21.5" Full HD LED Monitor

- 21.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4.5kg

WBXML22

1099,-



23.5" Full HD LED Monitor

- 23.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 5.4kg

WBXML24

1285,-



32" Full HD LED Monitor

- 31.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 12.7kg

WBXML32

1995,-



HD / FHD CCTV Monitors

HD CCTV Monitors

Experience HD/FHD security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.



18.5" HD LED Monitor

- 18.5" HD LED screen
- 1366 x 768 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Weight: 3.5kg

WBXMP19

795,-



21.5" FHD LED Monitor

- 21.5" HD LED screen
- 1920x1080P Full HD Resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Weight 4.5kg

WBXMP22

895,-

WARRANTY
3 YEARS

HDMI Cables - 4K 60Hz

HDMI 2.0V CABLES SUITABLE FOR ALL WBOX

HDMI 2.0V

- HDMI to HDMI cable
- Black
- Gold plated
- 1 to 5M cable construction 30 AWG
- 10M cable construction 28 & 30 AWG
- 15M cable construction 26 & 28 AWG



Limited
Lifetime

1m

WBXHDMI01V2

25,-

2m

WBXHDMI02V2

29,-

3m

WBXHDMI03V2

39,-

5m

WBXHDMI05V2

49,-

10m

WBXHDMI10V2

129,-

15m

WBXHDMI15V2

249,-

Brackets



Monitor Bracket 13-30" Tilt 100*100

- Wall mount monitor bracket
- Tilt only action
- Tilt: 0 to -12 degree
- Vesa mount: 100x100mm (max)
- Load capacity: 15kg (max)
- Black

WBXMB1330TM

65,-



Monitor Bracket 13"-42" Swivel Single Tilt 100*100

- Wall mount monitor bracket
- Single arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (max)
- Load capacity: 25kg (max)
- Black

WBXMB1332TSS

155,-

Limited
Lifetime



Monitor Bracket 13"-42" Swivel Double Tilt 200*200

- Wall mount monitor bracket
- Double arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (max)
- Load capacity: 25kg (max)
- Black

WBXMB1342TSD

239,-



Monitor Bracket 32"-65" Tilt 400*400

- Wall mount monitor bracket
- Monitor size up to 65"
- Tilt: +8 to -12 degree
- Vesa mount: 400x400mm (max)
- Load capacity: 50 kg (max)
- Black

WBXMB3265TM

185,-

Network Switches

Network Switch



9 Port Fast Gigabit Ethernet POE Switch

- 8 x 10/100/1000 Mbps PoE ports
- 1 x 10/100/1000 Mbps port
- Easy set-up plug and play
- 130W PoE budget
- Port status LED indicator

0E-9P8POEGIG

669,-



8 Port Fast Gigabit Ethernet POE Switch

- 4 x 10/100/1000 Mbps PoE ports
- 4 x 10/100/1000 Mbps ports
- Easy set-up plug and play
- 62W PoE budget
- Port status LED indicator

0E-8P4POEGIG

349,-



8 Port Fast Ethernet PoE Switch

- 4 x 10/100 Mbps PoE Ports
- 4 x 10/100 Mbps Ports
- Easy Set-up: Plug and Play
- 62W PoE Budget
- Switching Capacity: 1.6 Gbps
- Port/PoE Status: LED
- Energy Efficient Switch

0E-8P65W4POE

269,-

Limited
Lifetime



8 Port Gigabit Unmanaged Ethernet Switch

- 8 x 10/100/1000 Mbps
- Easy Set-up: Plug and Play
- Switching Capacity: 16 Gbps
- Port Status: LED Indicator
- Energy Efficient Switch

0E-8PGIGUN

185,-



5 Port Gigabit Unmanaged Ethernet Switch

- 5 x 10/100/1000 Mbps
- Easy set-up plug and play
- Switching capacity 10Gbps
- Port status LED indicator

0E-5PGIGUN

145,-

CAT5e Cables 0.5m - 5m

Limited
Lifetime

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: blue
- Anti-Snag



0.5m (Pack of 5) WBXC5EBL0.5MP5	1m (Pack of 5) WBXC5EBL1MP5	2m (Pack of 5) WBXC5EBL2MP5	3m (Single) WBXC5EBL3MP1	5m (Single) WBXC5EBL5MP1
22,-	45,-	63,-	19,-	26,-

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: red
- Anti-Snag



0.5m (Pack of 5) WBXC5ERD0.5MP5	1m (Pack of 5) WBXC5ERD1MP5	2m (Pack of 5) WBXC5ERD2MP5	3m (Single) WBXC5ERD3MP1	5m (Single) WBXC5ERD5MP1
22,-	45,-	63,-	19,-	26,-

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: grey
- Anti-Snag



0.5m (Pack of 5) WBXC5EGY0.5MP5	1m (Pack of 5) WBXC5EGY1MP5	2m (Pack of 5) WBXC5EGY2MP5	3m (Single) WBXC5EGY3MP1	5m (Single) WBXC5EGY5MP1
22,-	45,-	63,-	19,-	26,-

CAT6e Patch Cables

CAT6e Cables 0.5m - 5m

Limited
Lifetime

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: blue
- Anti-Snag



0.5m (Pack of 5) WBXC6EBL0.5MP5	1m (Pack of 5) WBXC6EBL1MP5	2m (Pack of 5) WBXC6EBL2MP5	3m (Single) WBXC6EBL3MP1	5m (Single) WBXC6EBL5MP1
41,-	45,-	63,-	19,-	26,-

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: red
- Anti-Snag



0.5m (Pack of 5) WBXC6ERD0.5MP5	1m (Pack of 5) WBXC6ERD1MP5	2m (Pack of 5) WBXC6ERD2MP5	3m (Single) WBXC6ERD3MP1	5m (Single) WBXC6ERD5MP1
41,-	45,-	63,-	19,-	26,-

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: grey
- Anti-Snag



0.5m (Pack of 5) WBXC6EGY0.5MP5	1m (Pack of 5) WBXC6EGY1MP5	2m (Pack of 5) WBXC6EGY2MP5	3m (Single) WBXC6EGY3MP1	5m (Single) WBXC6EGY5MP1
41,-	45,-	63,-	19,-	26,-

CAT6e Cables 0.5m - 5m

Limited
Lifetime

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Green
- Anti-Snag




0.5m (Pack of 5) WBXC6EGN0.5MP5	1m (Pack of 5) WBXC6EGN1MP5	2m (Pack of 5) WBXC6EGN2MP5	3m (Single) WBXC6EGN3MP1	5m (Single) WBXC6EGN5MP1
41,-	45,-	65,-	19,-	26,-

CAT5 General Purpose

Limited
Lifetime

Cat5e

- Outer sheath: PVC, PE
- Colour: Grey, Black
- 50m - 100m Reel
- Pure Copper



Cat5e Cable 50m
Internal Grade
WBXC5EGY050MPVC
149,-

Cat5e Cable 100m
Internal Grade
WBXC5EGY100MPVC
285,-



Cat5e Cable 50m
External Grade
WBXC5EBK050MPE
237,-


Cat5e Cable 100m
External Grade
WBXC5EBK100MPE
329,-

CAT6 General Purpose

Limited
Lifetime

Cat6e

- Outer sheath: PVC, PE
- Colour: Grey, Black
- 50m - 100m Reel
- Pure Copper



Cat6e Cable 50m
Internal Grade
WBXC6EGY050MPVC
218,-

Cat6e Cable 100m
Internal Grade
WBXC6EGY100MPVC
371,-



Cat5e Cable 50m
External Grade
WBXC6EBK050MPE
237,-

Cat5e Cable 100m
External Grade
WBXC6EBK100MPE
409,-

CAT 5 & 6 Patch Cables Accessories & Tools

CAT5

RJ45 Crimp connector

- Suitable for Cat5e cable
- 10 connectors per pack

WBXC5ERJ45P10



15,-

RJ45 Crimp connector

- Suitable for Cat5e cable
- 100 connectors per pack

WBXC5ERJ45P100



89,-

Limited
Lifetime

CAT6

RJ45 Crimp connector

- Suitable for Cat6e cable
- 10 connectors per pack

WBXC6ERJ45P10



22,-

RJ45 Crimp connector

- Suitable for Cat6e cable
- 100 connectors per pack

WBXC6ERJ45P100



119,-

Limited
Lifetime

Accessories

RJ45 CAT5/6e Coupler Each

- RJ45 coupler
- Cat5e & Cat6e

WBXCATCOUP



5,-

RJ45 CAT5/6e Strain Boots 100 Pack

- RJ45 strain boot
- Cat5e/Cat6e

WBXCATSBP100



98,-

RJ45 CAT5/6e Strain Boots 10 Pack

- RJ45 strain boot
- Cat5e/Cat6e

WBXCATSBP10



15,-

Tools

WARRANTY
1 YEAR



RJ45 Crimp Tool

- RJ crimp tool
- RJ45/RJ12/RJ11
- With cable cutter & stripper

WBXRJ45CRIMP

169,-

RJ45 Tester

- 2 Piece set
- Check continuity of RJ11 & RJ45 cable quickly
- LED status display
- Slow and fast test switch
- Simple to use

WBXCATBTESER

95,-



100m USB Extender

- Compliant with USB 2.0 specification in short distance(<10meters);
- Provides support for any full-speed (12 Mb/s) or low-speed (1.5 Mb/s) USB device;
- Some low power low-speed USB devices can work with cable up 200 meters.
- Embedded USB 1.1 Transceivers prevents signal loss;
- Downstream connector: Female, Type "B", USB Approved Connector;
- Up stream connector: Male, Type "A", USB Approved Connect.



WBXUSBE1

199,-

HDMI Splitter x2

- Supports 3D video format
- HDR 4K*2K
- HDMI 1.4 HDCP1.4
- RGB Format



WBXHDMIS2

179,-

WARRANTY
3 YEAR

HDMI Splitter x4

- Supports 3D video format
- HDR 4K*2K
- HDMI 1.4 HDCP1.4
- RGB Format



WBXHDMIS4

259,-

60m HDMI Extender

- Support HDMI 1.4a
- Support 3D
- Support highest video resolution 1080p/60Hz
- Support 1.65Gbps data rate and tmds clock up to 165MHz
- Support 8/10/12 bit deep color
- Support AWG26 HDMI standard cable, input up to 15m, output up to 20m
- Signal transmission: By using single cat-5e or cat-6 (recommended cable instead of HDMI Cable it can extend the distance up to 60m between TX and RX.
- No loss of quality
- Need 5V/1A power supply



WBXHDME6IR

409,-

HD Video Balun

Limited
Lifetime



HD Video Balun, Dual Pack 1 X PIG 1 X STD No Surge 5 MP

- 720/960P/1080P, 3MP/4MP/5MP
- HD-CVI/AHD/TVI/CVBS
- Pack: pair

WBXHDBP1

29,-

**NEW
@ADI**



HD Video Balun with Power over Coax

- HD Balun
- Power over Coax
- TVI, CVI, AHD & CVBS
- 4k Resolution

WBXHDBPCB1

55,-

HD Video Balun with Power

- HD Balun
- UTP
- Power & Video
- Up to 200m, 12V Dc

WBXHDBPV1

129,-

WARRANTY
3 YEARS



HD Ground Loop Isolator

- Compatible with all HD-TVI, HD-CVI, AHD & CVBS analog cameras
- BNC male to BNC female with mini 20cm RG 59 coaxial pigtail lead on both sides.
- Passive, No power supply required
- Prevents video-signal distortion caused by video ground loops

WBXGLIHD 111,-

Coaxial Cable Tools And Accessories

Coax Cable

Limited
Lifetime



RG59 Shotgun CU 100m Drum

- RG59
- + 2 core for low voltage
- 100m drum
- Black

WBXRG59100M2C

259,-



**NEW
@ADI**

RG59 CU 100m Drum

- RG59
- 100m drum
- Black

WBXRG59B1

158,-

Tools

WARRANTY
1 YEAR



RG59 3 Blade Stripper

- Coaxial cable stripper
- For RG58/RG59/RG6
- 3 blades

WBXRG59STIP

79,-



RG59 Crimp Tool

- RG59 BNC crimp tool

WBXBNCRIMP

159,-

Accessories



BNC Crimp Connector 10 Pack

- RG59 BNC male crimp connector
- 10 pack

WBXBNCM59P10

29,-



BNC Crimp Connector 50 Pack

- RG59 BNC male crimp connector
- 50 pack

WBXBNCM59P50

125,-

Limited
Lifetime



BNC Strain Boot 10 Pack

- RG59 BNC strain boot
- 10 pack
- Black

WBXBNC SRP10

9,-



BNC Coupler 10 Pack

- RG59 female - female connector
- 10 pack

WBXBNCFFCP10

29,-



BNC T M-F 10 Pack

- RG59 BNC male - female T piece connector
- 10 pack

WBXBNCM22FTP10

49,-

Intrusion Power Supplies & Batteries

Power Supply

WARRANTY
3 YEAR



13.8V 1A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 1 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU1A12VT

149,-

13.8V 2A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 2 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU2A12VT

249,-

13.8V 3A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 3 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU3A12VT

285,-



13.8V 5A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 5 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 360 x 330 x 90mm
- Battery Compartment - 350 x 220 x 80mm

WBXPSU5A12VT

495,-



Batteries

Battery AA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature

WBX0E-AA12PK

26,-



Battery AAA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature

WBX0E-AAA12PK

23,-



Battery SLA, 12V, 2.3Ah

- T1 Terminal
- L70 x W48 x H98mm

UT-1221

49,-



Battery SLA, 12V, 7Ah

- T1 Terminal
- L151 x W65 x H94mm

UT-1270

75,-



Battery SLA, 12V, 12Ah

- T2 Terminal
- L151 x W98 x H95mm

UT-12120

149,-



Battery SLA, 12V, 18Ah

- M5 Terminal
- L182 x W77 x H168mm

UT-121805

215,-



CCTV Power Supplies & IP65 Junction Boxes

12V 1A, 2A, 3.5A & 5A Inline Power Supplies

- Inline power supply
- 12V DC output
- 1.2m DC cable
- 5.5*2.1mm plug

WARRANTY
3 YEARS



1 Amp
WBXIL10EU 69,-

2 Amp
WBXIL20EU 89,-

3.5 Amp
WBXIL35EU 109,-

5 Amp
WBXIL50EU 129,-

CCTV Power Supplies Accessories

Female DC to 4 way DC Splitter

- DC Plug with 5.5*2.1mm connector
- Black PVC
- Nickel plated

Limited
Lifetime

WBXPSUSP4 19,-



CCTV Power Supplies

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 4 way
- Max 5Amp

WBXPSUC12V5A4 265,-

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 9 way
- Max 10Amp

WBXPSUC12V10A9 409,-

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 16 way
- Max 16Amp

WBXPSUC12V16A16 539,-



NEW
@ ADI

IP65 Junction Boxes



- IP65 rating
- Material ABS
- Halogen-Free
- Insulation class II
(according to IEC 61140)
- Grey / Ral 7035

WBXJB204
100 x 100 x 50mm
35,-

WBXJB206
150 x 110 x 70mm
55,-

WBXJB207
190 x 140 x 70mm
99,-

WBXJB208
240 x 190 x 90mm
159,-

WBXJB209
300 x 220 x 120mm
295,-

WBXJB210
80 x 300 x 120mm
439,-

Enclosures / Cabinets

ENCLOSURE M20*1.5 access gland 6-12mm ca

- IP Gland
- Pack of 3
- M20*1.5
- 6-12mm Cable Access

WBXGL6-12M20P3 18,-



ENCLOSURE M20*1.5 access gland 6-12mm ca

- IP Gland
- Pack of 5
- M20*1.5
- 6-12mm Cable Access

WBXGL6-12M20P5 29,-



Tools & Hardware

Access Power Supplies

Multi Controller Power Supply

- Selectable 12VDC or 25VAC w way output
- Full rated 12VDC/8A or 24DC/4A to load
- Reverse better connection protection
- Complete with mounting posts
- Dimensions: W405 x H506 x D85mm

WBXACCESSPSU12248A 1119,-



**WARRANTY
3 YEARS**

Tools

- Durable rubber housing finish
- Magnetic swivel clip
- 3 x AAA batteries included

COB LED Pocket Mini Work Light

**WARRANTY
2 YEARS**

0E-MINILIGHT 49,-



Accessories

Tape PVC 19mm x 20m

- Insulation tape
- 1pc
- PVC
- 19mm x 20m



**White
WBXTAPEW 9,-**



**Black
WBXTAPEB 9,-**

HFC Free Gas Air Duster

- HFC Free
- 400ml

WBXAIRCAN 169,-



Cable Ties 200mm x 4.8mm (Pack of 100)

- UV protected
- 200 x 4.8mm
- Pack of 100



**Black
WBXCT200B
Natural
WBXCT200N
19,-**

Cable Ties 300mm x 4.8mm (Pack of 100)

- UV protected
- 300 x 4.8mm
- Pack of 100

**Limited
Lifetime**



**Black
WBXCT300B
Natural
WBXCT300N
25,-**

Stainless Steel Cable Ties (Pack of 100)

- Stainless Steel
- Pack of 100



**200 x 4.6mm
WBXCT200SS 69,-
400 x 4.6mm
WBXCT400SS 118,-**

Test Monitor

- Supports Analogue, IPC(H.264/ H.265/ 4K), AHD 3.0, TVI 3.0,CVI 3.0 Camera
- Step by step IPC test, quickly locate failure
- ONVIF highly compatible
- Ergonomic design, single hand operation
- Real time operation prompt
- 12V/1A power output
- Dual 100M network port, capable of detecting packet lost, monitoring network flow

- TDR RJ45 Cable Test
- 4.0 inch all viewing angle display, 800X480 resolution, 16.7M color
- Swing keyboard input, QWERTY.
- Changeable Li-polymer battery
- Battery working time 5 hours
- Rubberised Protective Casing
- Dual LED torch
- Software upgrade online

WARRANTY
1 YEAR



WBXMLTEST

2995,-

**Spare Battery
WBXMLTBAT**

199,-

Skærme og tilbehør

4K UHD, full-HD & HD-skærme

Vægbeslag

Netværks switche

CAT5e & CAT6e installationskabel

Værktøj, tilbehør og hardware

Ring

43 24 56 00

Webshop

www.adiglobal.dk

salg.dk@adiglobal.com

App

Søg: ADI DK



Danmark

Kvartal 1, 2022

Alle priser er korrekte ved udgivelsen af denne tryksag.
Priserne er netto og kan ikke benyttes sammen med andre tilbud eller rabatter. Alle priser eksklusiv moms og levering.
Alm. salgs og leveringsbetingelser er gældende.
Der tages forbehold for trykfejl.

KUN HOS
ADI
a resideo company